

## P306



### Four Wide Longitudinal grooves

Excellent wet performance  
Excellence water clearance  
Outstanding safety and control in potential aquaplaning



### Central Rib

High speed stability with handling response



### Quite-ride pitch alignment

Optimized tread pitch width and alignment quiet resonance and the road noise it creates



Lateral grooves work to distract the water out



All seasonal sipes guarantee the driving stability and braking



Size	Index			
△ 155/65R13	73 T	E	B	69
△ 155/70R13	75 T	E	C	70
△ 155/80R13	79 T	E	C	70
△ 165/65R13	77 T	E	B	69
△ 165/70R13	79 T	E	B	69
△ 175/60R13	77 T	E	C	69
△ 175/65R13	80 T	E	B	69
△ 175/70R13	82 T	E	B	69
△ 185/70R13	86 H/T	E	C	69
△ 155/65R14	75 T	E	C	70
△ 155/70R14	77 T			
△ 165/60R14	75 H	E	C	70
△ 165/70R14	81 T			
☆ 165/70R14	85 T			
△ 175/65R14	82 H/T	C	B	69
△ 175/70R14	84 H/T	C	B	69
☆ 175/70R14	88 H	C	B	69
△ 185/60R14	82 H	E	B	69
△ 185/65R14	86 H/T	C	B	69
△ 185/70R14	88 H/T	C	B	69
△ 195/60R14	86 H	E	B	70
△ 195/70R14	91 H/T	C	B	70
△ 205/70R14	95 T	C	B	70
△ 205/70R14	98 T	C	B	70
☆ 175/55R15	77 H			

Remark: ☆=Reinforced Remark: △=Extra Load

U.T.Q.G TREADWEAR:400 TRACTION:A TRMPERATURE:A

Size	Index			
△ 175/65R15	84 H	C	B	69
△ 185/55R15	82 H/V	E	B	69
△ 185/60R15	84 H	E	B	69
☆ 185/60R15	88 H	C	B	69
△ 185/65R15	88 H	C	B	69
△ 195/60R15	88 H/V	C	B	70
△ 195/65R15	91 H/V	C	B	70
☆ 195/65R15	95 H	B	B	70
△ 205/60R15	91 H/V	C	B	70
☆ 205/60R15	95 H	C	B	70
△ 205/65R15	94 H/V	C	B	70
△ 205/70R15	96 H	C	B	70
△ 215/65R15	96 H	E	B	70
△ 215/70R15	98 H	C	B	70
☆ 185/50R16	85 V	E	B	70
☆ 185/55R16	87 V	E	B	70
△ 195/60R16	89 H	C	B	70
☆ 205/55ZR16	94 W	B	B	70
△ 205/55R16	91 V	C	B	70
△ 205/60R16	92 H/V	C	B	70
☆ 205/65R16	99 H	B	B	70
△ 215/60R16	95 H	C	B	70
☆ 215/60R16	99 H/V	B	B	70
☆ 225/50ZR16	96 W	C	B	70
△ 225/60R16	98 H	C	B	70

HP Tyre



Comfortable with lower noise

Improved construction materials including innovative new polymers in the tread compound guarantee the long mileage and high performance

U.T.Q.G TREADWEAR:320 TRACTION:A TRMPEATURE:A

## P606



**Asymmetric tread pattern — Inside**  
Enclosed shoulder block for even wear and reduce noise



**Asymmetric tread pattern — Outside**  
Stable outer shoulder for optimal handling day conditions and braking characteristics



**Central Vertical Rib**  
Central rib guarantee the High speed stability



**Interlocking Block**  
Good handling and directional stability




**Compound Design**  
Silica compound with good wet performance


Size	Index				
△ 205/60R14	88	T	C	B	71
△ 195/50R15	82	V	E	B	71
△ 195/55R15	85	H/V	E	B	71
☆ 195/45R16	84	V	C	B	71
△ 195/50R16	84	V	C	B	71
☆ 195/50R16	88	V			
△ 195/55R16	87	V	C	B	71
△ 195/55RF16	87	V			
☆ 205/45Z16	87	W	C	B	71
△ 205/50Z16	87	W	E	B	71
△ 205/55R16	91	V	C	B	71
△ 215/45R16	86V	V			
☆ 215/55Z16	97	W	B	B	71
△ 225/55R16	95	V	C	B	71
△ 205/55Z16	91	W	C	B	71
△ 205/55ZRF16	91	W			
☆ 225/55R16	99	V	B	B	72
☆ 205/40Z17	84	W	C	B	71
△ 205/45Z17	84	W	E	B	71
☆ 205/45Z17	88	W	C	B	71
☆ 205/45ZRF17	88	W			
☆ 205/50Z17	93	W	C	B	71
☆ 205/50ZRF17	93	W			
☆ 205/55Z17	95XL	W			
☆ 215/40Z17	87	W	E	B	71
☆ 215/45Z17	91	W	C	B	71
☆ 215/50Z17	95	W	C	B	71
☆ 215/55Z17	98	W	B	B	71
☆ 225/50Z17	98	W	C	B	72
☆ 225/55Z17	101	W	C	B	72
☆ 225/45Z17	94	W	C	B	72
☆ 225/45ZRF17	94	W	C	B	72
☆ 235/45Z17	97	W	C	B	72
△ 235/50Z17	96	W			
☆ 235/50R17	100	V			
☆ 235/50Z17	100	W			
☆ 235/55Z17	103	W	B	B	72
☆ 245/40Z17	95	W	E	B	72
☆ 245/45Z17	99	W	C	B	72
☆ 215/35Z18	84	W	E	B	71
☆ 215/40Z18	89XL	W			
☆ 215/55R18	99V	V			
☆ 225/40Z18	92	W	C	B	72
☆ 225/40ZRF18	92	W			

Remark:☆=Reinforced Remark:△=Extra Load

Size	Index				
☆ 225/45Z18	95	W	C	B	72
☆ 235/40Z18	95	W	C	B	72
☆ 235/45Z18	98	Y	E	B	71
☆ 235/50R18	101	V			
☆ 235/50Z18	101	W			
☆ 245/40Z18	97	W	C	B	72
☆ 245/40ZRF18	97	W			
☆ 245/45Z18	100	W	B	B	72
△ 245/45Z18	96	W	C	B	71
☆ 245/45ZRF18	100	W			
△ 245/50Z18	100	W			
☆ 255/35Z18	94	W	E	B	73
☆ 265/35Z18	97XL	W			
☆ 255/45Z18	103	W	B	B	73
☆ 225/35Z19	88	W	E	B	72
☆ 215/35Z19	85XL	W			
△ 225/55R19	99	V			
☆ 235/35Z19	91	W	E	B	72
☆ 245/35Z19	93	W	E	B	72
△ 245/55R19	103	V			
☆ 255/30Z19	91XL	Y			
☆ 255/35Z19	96	Y	E	B	73
☆ 255/40R19	100	V			
☆ 265/30Z19	93	W	E	B	73
☆ 275/30Z19	96	W	E	B	73
☆ 285/45Z19	111XL	W			
☆ 225/35Z20	90	W	C	B	72
☆ 245/35Z20	95	W			
△ 245/45Z20	99	W			
△ 245/50Z20	102	W			
☆ 255/35Z20	97	W	C	B	73
☆ 255/45Z20	105XL	W			
△ 265/45Z20	104	W			
☆ 275/40Z20	106	Y	E	B	73
☆ 275/45R20	110	V	C	B	73
☆ 275/55Z20	117	W	C	B	73
☆ 285/50R20	116	V	C	B	75
☆ 315/35Z20	110XL	Y			
☆ 295/35Z21	107XL	Y			
☆ 265/35Z22	102	W			
☆ 285/35Z22	112	W	E	B	75
☆ 305/40Z22	114	W			
☆ 305/45Z22	118	W			
☆ 305/35Z24	112	W	C	B	75

**UHP Tyre**

Comfortable with lower noise 

The specifically formulated tread compound and reinforced internal construction were engineered to emphasize wet and dry road response, traction, handling and high-speed capabilities 




U.T.Q.G TREADWEAR:440 TRACTION:A TRMPERATURE:B

## ECOSAVER



Tyre shoulder strip resist the uneven wear



Quite-ride pitch alignment  
Optimized tread pitch width and alignment quiet resonance and the road noise it creates



Wide grooves on the shoulder fully radiate the heat



Central Rib  
High speed stability with handling response



Special Bead design guarantee long tyre life


Size	Index	U.T.Q.G	TREADWEAR	TRACTION	TRMPERATURE
△ 215/70R15	98 H	E	C	71	
△ 215/75R15	100 H	E	C	71	
△ 225/70R15	100 H	E	C	71	
△ 225/75R15	102 H	E	C	71	
△ 235/75R15	105 H	E	C	71	
△ 265/70R15	110 H	E	E	72	
△ 265/70R15	112 H	E	E	72	
☆ 205/60R16	96 V				
△ 215/60R16	95 H	E	C	71	
☆ 215/60R16	99 H	C	C	71	
△ 215/65R16	98 H	E	C	71	
△ 215/70R16	100 H	E	C	71	
△ 225/60R16	98 H	E	C	71	
△ 225/65R16	100 H	E	C	71	
△ 225/70R16	102 T	E	C	71	
△ 235/60R16	100 H	E	C	71	
△ 235/65R16	103 T	E	C	71	
△ 235/70R16	106 H	E	C	71	
△ 245/70R16	107 H	E	C	71	
☆ 245/70R16	111 H	C	C	72	
△ 245/75R16	111 H	C	C	71	
△ 255/65R16	109 H	E	E	72	
△ 255/70R16	111 T	E	E	72	
△ 265/70R16	112 H/T	E	E	72	
△ 265/75R16	116 H	C	E	72	
△ 275/70R16	114 H	E	E	72	
△ 215/60R17	96 H	E	C	71	
△ 225/60R17	99 H		C	71	
△ 225/65R17	102 H	E	C	71	
☆ 225/70R17	108 T	B	C	72	


Remark:☆=Reinforced Remark:△=Extra Load

Size	Index	U.T.Q.G	TREADWEAR	TRACTION	TRMPERATURE
△ 235/60R17	102 H			7	
☆ 235/60R17	106 V				
△ 235/65R17	104 H	E	C	71	
☆ 235/65R17	108 H	C	C	72	
△ 235/70R17	107 H	E	C	71	
☆ 235/70R17	111 H	C	C	72	
△ 245/65R17	107 H	E	C	71	
△ 245/70R17	108 T	E	E	71	
△ 255/65R17	110 H	E	E	72	
△ 255/70R17	110 T	E	E	72	
△ 255/70R17	112 T	C	E	72	
△ 265/65R17	112 H/T	E	E	72	
△ 265/70R17	113 H	E	E	72	
△ 275/60R17	110 H	E	E	72	
△ 275/65R17	115 H	E	E	72	
☆ 275/65R17	119 H	C	E	73	
△ 285/65R17	116 H/T	E	E	72	
△ 225/60R18	100 H	C	C	71	
△ 235/55R18	100 V				
△ 235/60R18	103 H	C	C	71	
△ 235/65R18	106 V				
☆ 235/65R18	110 V				
△ 245/60R18	104 H	C	C	71	
☆ 255/55R18	109 V				
△ 255/70R18	112 H	C	E	72	
△ 265/60R18	110 H	C	E	72	
☆ 285/60R18	120 H	C	E	73	
△ 255/50R19	103 V				
☆ 255/50ZR19	107 Y				

Commercial Tyre&Light Truck Tyre



A performance tyre for crossover/SUV vehicles,the tyre features adaptive response sidewall technology which delivers great comfort with responsive handling 

The tyre also features multi-pitch tread blocks which minimizes pattern noise in the cabin for a premium driving experience 

**ECOLANDER**



Two longitudinal grooves with 3-D grooves walls evacuate water and resist aquaplaning



Linked blocks  
Good adhesion in dry conditions and excellent steering precision



Large contact patch make sure you get all the grip, stability, high-speed controllability



Sipes in groove make sure good adhesion, particularly in the wet and snow



Reinforced Compound and side wall make sure to meet all roads situation



Size	Index				
△ 31*10.50R15LT	109	S	F	E	72
△ LT215/75R15	106/103	S	F	E	72
△ LT225/75R15	108/104	S	F	E	72
△ LT235/75R15	110/107	S	F	E	73
△ 215/70R16	99	T	E	E	71
△ 225/70R16	101	T	E	E	71
△ 225/70R16	107	T	E	E	72
△ 235/70R16	104	T	E	E	71
△ 235/70R16	106	T	E	E	71
△ 245/70R16	106	T	E	E	71
☆ 245/70R16	111	T	E	E	72
△ 255/70R16	109	T	E	E	72
△ 265/70R16	111	T	E	E	72
△ 265/70R16	112	T	E	E	72
△ LT215/85R16	115/112	S	F	E	72
△ LT225/75R16	115/112	S	F	E	72
△ LT235/85R16	120/116	S	F	E	73
△ LT245/75R16	120/116	S	F	E	73
△ LT265/70R16	121/118	R	F	E	73
△ LT265/75R16	123/120	S	F	E	75

Remark:☆=Reinforced Remark:△=Extra Load

U.T.Q.G TREADWEAR:480 TRACTION:A TRMPERATURE:B

Size	Index				
△ LT285/75R16	126/123	R	F	E	75
△ 265/65R17	110	T	E	E	72
△ 265/65R17	112	T	E	E	72
△ 265/70R17	113	T	E	E	72
△ 275/65R17	115	T	E	E	72
△ 305/70R17LT	121/118	R			
△ LT245/75R17	121/118	S	F	E	73
△ LT265/70R17	121/118	S	F	E	73
△ LT285/70R17	121/118	S	F	E	73
△ LT315/70R17	121/118	R	F	E	73
△ LT275/65R18	123/120	S	F	E	75

**Commercial Tyre&Light Truck Tyre**



Ecolander offers year-round all-terrain performance through a balance of wet and dry performance and on-road comfort with minimal road noise

The Ecolander All-Terain provides balanced performance in all weather conditions over various terrains


**ECOSNOW**




Open lateral slit and sipe enhance the water drainage and snow traction



Rib and large size block enhance the handling



3-D sipes  
Stable the handling in both wet and dry  
Better irregular wear resistance



Silica Compound Design  
Unique silica tread compound enhance the snow and wet handling



Size	Index			
△ 175/65R14	82 H	E	C	70
△ 185/60R14	82 H	E	C	70
△ 185/65R14	86 H	E	C	70
△ 185/65R15	88 H	E	C	70
△ 195/55R15	85 H	E	C	71
△ 195/60R15	88 H	E	C	71
△ 195/65R15	91 H	E	C	71
△ 205/65R15	94 H	C	C	71
△ 205/55R16	91 H/V	E	C	71
☆ 205/60R16	96 H	C	C	72
☆ 215/55R16	97 H/V	C	C	72
☆ 215/60R16	99 H	C	C	72
△ 215/65R16	98 H	C	C	71
☆ 225/55R16	99 V	C	C	72
☆ 225/45R17	94 V	C	C	72
☆ 225/40R18	92 V	E	C	72
☆ 245/45R18	100 V	C	C	72
☆ 255/55R18	109 V	C	C	73

Remark:☆=Reinforced Remark:△=Extra Load

**Winter Tyre**

The Ecosnow is the best choice for excellent road-holding and performance in winter conditions

They ensure a superior grip on snow and ice ,a negligible chance of aquaplaning and maximum steering precision.For drivers looking for perfect handling and optimal road-holding in winter,the Ecosnow meets the highest expectations

**ECOSNOW4\*4**




The V-sharp central spine guarantee the handling stability



Open lateral slit enhance the water drainage and snow traction



3-D sipes  
Stable the handling in both wet and dry  
Better irregular wear resistance



Silica Compound Design



Size	Index			
△ 215/70R16	100 T	E	C	71
△ 235/60R16	100 H	E	C	71
△ 235/70R16	106 T	E	C	71
△ 245/70R16	107 T	E	C	71
△ 255/65R16	109 T	E	C	72
△ 265/70R16	112 T	E	C	73
△ 225/60R17	99 H	E	C	70
△ 225/65R17	102 H			
△ 235/65R17	108 H	E	C	72

Remark:☆=Reinforced Remark:△=Extra Load

**Winter Tyre**




The Ecosnow4\*4 is the best choice for excellent road-holding and performance in winter conditions

They ensure a superior grip on snow and ice ,a negligible chance of aquaplaning and maximum steering precision. For drivers looking for perfect handling and optimal road-holding in winter, the Ecosnow4\*4 meets the highest expectations



**EFFITRAC**



**Application of Three Channel Wide Groove**  
Reduces hydroplaning and increases performance and safety at high speed



**Quite-ride pitch alignment**  
Optimized tread pitch width and alignment quiet resonance and the road noise it creates



**Multi-waves sipes guarantee the outstanding water evacuation, prevention of uneven wear & superior handling**



**Quite-ride pitch alignment**  
Optimized tread pitch width and alignment quiet resonance and the road noise it creates



Size	Index			
△ 155R13C	85/83 S	E	C	70
△ 175R13C	97/95 R			
△ 175R13C	97/95 S			
△ 175/70R14C	95/93 S	C	C	70
△ 185R14C	102/100 Q	C	C	70
△ 195R14C	106/104 Q	C	C	70
△ 205R14C	109/107 S	C	C	70
△ 195R15C	106/104 Q	C	C	70
△ 195/70R15C	104/102 R	C	C	70
△ 205/70R15C	106/104 R	C	C	70
△ 215/70R15C	104/101 S			
△ 215/70R15C	109/107 S			
△ 225/70R15C	112/110 S	C	C	70
△ 185/75R16C	104/102 R	C	C	70
△ 185/75R16C	104/102 R			
△ 195/65R16C	104/102 R	C	C	70
△ 195/65R16C	104/102 T	C	C	70
△ 195/75R16C	107/105 R	C	C	70
△ 205/65R16C	107/105 R	C	C	70
△ 205/65R16C	107/105 T	C	C	70
△ 215/65R16C	109/107 R	C	C	70
△ 215/65R16C	109/107 T	C	C	70
△ 215/75R16C	116/114 R	C	C	70
△ 215/75R16C	113/111 R	C	C	70
△ 225/65R16C	112/110 R	C	C	70
△ 235/65R16C	115/113 R	C	C	70

Remark: ☆ = Reinforced Remark: △ = Extra Load

**Commercial Tyre & Light Truck Tyre**



Improved durability and internal anti-abrasion quality

A summer radial tire for commercial vans and transport vehicles, the EFFITRAC provides excellent durability, increased mileage as well as excellent wet performance and a balanced footprint. Even under heavy loads, stability is maintained, increasing driver safety

**FREEZE S1**



Asymmetric design offer stronger lateral and longitudinal braking on snow and water



Multiple Open lateral slit and sip enhance the water drainage and snow traction



The V-Sharp design guarantee the drainage and handling stability



Multi-wave sipes to increase the tread block rigidity, higher sipe density to emphasize the ice traction



Size	Index			
△ 165/70R13	79	T		
△ 175/70R13	82	T		
△ 165/70R14	81	T		
☆ 175/70R14	88	H		
△ 185/55R15	82	H		
△ 185/60R15	84	H		
△ 195/70R15C	104/101 S			
△ 205/70R15	96	H	UNDER TESTING	
△ 215/70R15	98	H	UNDER TESTING	
△ 195/55R16	87	V		
△ 205/55R16	91	H		
☆ 205/50ZR17	93	W		
☆ 215/55ZR17	98	W		
☆ 225/50ZR17	98	W		
☆ 225/55ZR17	101	W		
☆ 235/55ZR17	103	W		

Remark:☆=Reinforced Remark:△=Extra Load

**Winter Tyre**



The FREEZE S1 is the best choice for excellent road-holding and performance in winter conditions. They ensure a superior grip on snow and ice, a negligible chance of aquaplaning and maximum steering precision

For drivers looking for perfect handling and optimal road-holding in winter, the FREEZE S1 meets the highest expectations



**Challenger M/T**

The Challenger M/T boasts superb multi-directional traction and excellent grip, acceleration and anti-puncture capability.

Even under harsh off-road conditions, expect the best possible driving performance with excellent handling and stability on any road type



Size	Index			
△ LT265/75R16	123/120 Q			
△ LT265/75R16	119/116 Q			
△ LT285/75R16	126/123 Q			
△ LT285/75R16	122/119 Q			
△ LT265/70R17	121/118 Q			
△ LT265/70R17	118/115 Q			
△ LT285/70R17	121/118 Q			
△ LT285/70R17	121/118 Q			UNDER TESTING
△ LT295/70R17	121/118 Q			
△ 33x12.50R17LT	120 Q			
△ 33x12.50R17LT	114 Q			
△ LT275/65R18	123/120 Q			
△ 33x12.50R18LT	118 Q			
△ LT285/55R20	122/119 Q			
△ LT285/55R20	117/114 Q			
△ 33x12.50R20LT	114 Q			

Remark:☆=Reinforced Remark:△=Extra Load

**Commercial Tyre & Light Truck Tyre**



A side protection block from the tread pattern to the center of the sidewall has an appealing rugged look and shields against the shock of protruding objects

This also improves traction in soft dirt and protects pothole damage